

MQ 90S

COMPACT SUBWOOFER

DESCRIPTION

MQ 90S is a compact band-pass 8" subwoofer. It can be connected through a removable Euroblock plug that allows the parallel connection of other loudspeakers. The cabinet material is MDF with a scratch resistant surface.

The subwoofer has internally a transformer for constant voltage lines (100 or 70 V). The power selection is made by means of its selector. It is for indoor use only (avoid to use it in very humid places). It should be put on the floor of a room where "satellite" loudspeakers (for mid / high frequencies) are already present. MQ 90S belongs to RCF Monitor Q series.



FEATURES

- 8" woofer
- Power selectable (100 V): 60 W – 30 W – 15 W – 7.5 W
- 89 dB sensitivity
- Colour black RAL 9005
- PVC covered chipboard and painted front MDF
- 16 Ohm by-pass

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	70 Hz ÷ 200 Hz
	Max SPL @ 1m:	107 dB
	System Sensitivity:	89 dB
Power section	Nominal Impedance (ohm):	16 ohm
	Power Handling:	60 W RMS
	Peak Power Handling:	240 W PEAK
	Recommended Amplifier:	120 W
	Low-Pass Frequencies:	200 Hz
Transducers	Woofers:	8"
Input/Output section	Input connectors:	Euroblock
	Output connectors:	Euroblock
	Power selection 1:	60 W - 167 ohm
	Power selection 2:	30 W - 333 ohm
	Power selection 3:	15 W - 667 ohm
	Power selection 4:	7.5 W - 1333 ohm
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	MDF
	Color:	Black - RAL 9005
Size	Height:	300 mm / 11.81 inches
	Width:	205 mm / 8.07 inches
	Depth:	400 mm / 15.75 inches
	Weight:	8.06 kg / 17.77 lbs
Shipping informations	Package Height:	470 mm / 18.5 inches
	Package Width:	370 mm / 14.57 inches
	Package Depth:	265 mm / 10.43 inches
	Package Weight:	9.25 kg / 20.39 lbs

PART NUMBER

- **13000097**

MQ 90S B

EAN 8024530005634

DRAWINGS



