



# HD 10-A MK5

ACTIVE TWO-WAY SPEAKER



**Description** HD 10-A mk5 active speaker boosts performance with a high-power professional 10" woofer and a 1.0" HF driver, an 800W 2ch Class-D amplifier, and innovative FIRPHASE and Bass Motion Control processing. Vocals are natural, the sound is clear at long distances, SPL power is stable at very high levels. The strength of HD series speakers comes from decades of experience building gear for the touring industry, equipping this compact cabinet with power and reliability expected for life on the road. Elegantly designed, the lightweight polypropylene cabinet with internal reinforcement offers maximum strength. The speaker also includes a steel pole mount, threaded inserts for rigging, and rubber handgrips. D-LINE offers working DJs and musicians professional sound designed with music in mind.

- Features**
- › 128 dB Max SPL
  - › 800 Watts 2-way amplifier
  - › DSP Processing with FIRPHASE and Bass Motion Control
  - › 1.0" HF driver
  - › 10" woofer, high power, 2.0" voice coil
  - › 90° x 60°, wide dispersion constant directivity horn
  - › Silent Fan-less Class-D Amplifier
  - › Mylar/Ferrite driver - Kapton former coil


<b>Part Number</b>	13000659 HD 10-A MK5	220-240 V	Black	EAN 8024530019310
	13000676 HD 10-A MK5	115 V	Black	EAN 8024530019518



# HD 10-A MK5

ACTIVE TWO-WAY SPEAKER

Line Art 2D



Acoustical specifications	Frequency Response	50 Hz ÷ 20000 Hz
	Max SPL @ 1m	128 dB
	Horizontal coverage angle	90°
	Vertical coverage angle	60°
Transducers	Compression Driver	1 x 1.0", 1.0" v.c
	Woofer	1 x 10", 2.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
	Mic. Input Sensitivity	-32 dBu
Processor section	Crossover Frequencies	2000 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Boost, Volume, Mic/Line
Power section	Total Power	800 W Peak, 400 W RMS
	High frequencies	200 W Peak, 100 W RMS
	Low frequencies	600 W Peak, 300 W RMS
	Cooling	Convection
	Connections	VDE
	Safety agency	CE compliant
Standard compliance	Cabinet/Case Material	PP Composite
Physical specifications	Hardware	1 x M10 top, 1 x M10 bottom
	Handles	1 Top, 1 Side
	Pole mount/Cap	35 mm insert
	Grille	Steel
	Color	Black



# HD 10-A MK5

ACTIVE TWO-WAY SPEAKER

Size	Height	527 mm / 20.75 inches	
	Width	303 mm / 11.93 inches	
	Depth	303 mm / 11.93 inches	
	Weight	11.8 kg / 26.01 lbs	
Rigging / Mounting	ACCESSORIES		
	FLOOR STANDS		
	13360109 AC PRO-FS	Black	EAN 8024530006471
	HORIZONTAL BRACKETS		
	13360215 H-BR 2X HD 10	Black	EAN 8024530016548
	POLE MOUNT KITS		
	13360232 AC PMX		EAN 8024530010058
	13360110 AC PRO-PM	Black	EAN 8024530006488
	13360067 PM-KIT M20	Black	EAN 8024530014599
	Protections	COVERS	
13360208 CVR HD 10		Black	EAN 8024530010713
Cables	CABLES KIT		
	13360102 AC XLR 3M3F		EAN 8024530006402