

V 218-S

PASSIVE BASS REFLEX SUBWOOFER

DESCRIPTION

The V218 is a compact, high-output bass reflex subwoofer. The system is equipped with two advanced neodymium 18" RCF precision woofers mounted in a front-loaded configuration. This new high power design marks the latest refinements in RCF experiences in compact subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. The two transducers couple to achieve tight and maximised output, while the subwoofer design ensures an efficient acoustic response down to 30 Hz



FEATURES

- High power, bass reflex subwoofer system
- 2 x 18" high power, 4" voice coil hyperventated woofers
- 141 dB max SPL
- 3000 Watt AES
- Very high output, response down to 30 Hz
- Birch plywood cabinet
- Weather resistant, textured, polyurea finish
- Epoxy powder coated front grille

TECHNICAL SPECIFICATIONS


Acoustical specifications	Frequency Response (-10dB):	30 Hz ÷ 250 Hz
	Max SPL @ 1m:	141 dB
	System Sensitivity:	99 dB
Power section	Nominal Impedance (ohm):	4 ohm
	Power Handling:	3000 W RMS
	Peak Power Handling:	12000 W PEAK
	Recommended Amplifier:	6000 W
Transducers	Woofer:	2 x 18", 4.0" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	3000 W AES, 6000 W PEAK
Input/Output section	Input connectors:	Speakon® NL4
	Output connectors:	Speakon® NL4
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Handles:	4 Side
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	569 mm / 22.4 inches
	Width:	1200 mm / 47.24 inches
	Depth:	745 mm / 29.33 inches
	Weight:	78.2 kg / 172.4 lbs
Shipping informations	Package Height:	630 mm / 24.8 inches
	Package Width:	1265 mm / 49.8 inches
	Package Depth:	805 mm / 31.69 inches
	Package Weight:	93 kg / 205.03 lbs

PART NUMBER

- **13000414**

V 218-S

EAN 8024530010980



V 218-S

